ELSEVIER

Brain Research 720 (1996) 239–240

BRAIN RESEARCH

Author Index

Arvanitogiannis, A., Flores, C., Pfaus, J.G. and Shizgal, P.
Increased ipsilateral expression of Fos following lateral hypothalamic self-stimulation (720) 148

Bacon, S.J., Headlam, A.J.N., Gabbott, P.L.A. and Smith, A.D.
Amygdala input to medial prefrontal cortex (mPFC) in the rat: A light and electron microscope study (720) 211
Barnes, C.D., see Chen, S.-Y. (720) 54
Basile, A.S., see Ha, J.-H. (720) 35
Beyer, C., see Caba, M. (720) 7
Bisley, J.W., Rees, S.M., McKinley, M.J., Hards, D.K. and Oldfield, B.J.
Identification of osmoresponsive neurons in the forebrain of the rat: a Fos study at the ultrastructural level (720) 25
Boje, K.M.K.
Inhibition of nitric oxide synthase attenuates blood-brain barrier disruption during experimental meningitis (720) 75
Bolwig, T.G., see Woldbye, D.P.D. (720) 111
Brauer, K., see Brückner, G. (720) 84
Braun, K., see Schnabel, R. (720) 120
Bringmann, A., see Brückner, G. (720) 84
Brückner, G., Bringmann, A., Köppe, G., Härtig, W. and Brauer, K.
In vivo and in vitro labelling of perineuronal nets in rat brain (720) 84

Caba, M., Silver, R., González-Mariscal, G., Jiménez, A. and Beyer, C.
Oxytocin and vasopressin immunoreactivity in rabbit hypothalamus during estrus, late pregnancy, and postpartum (720) 7
Caligiorne, S.M., Santos, R.A.S. and Campagnole-Santos, M.J.
Cardiovascular effects produced by bradykinin microinjection into the nucleus tractus solitarii of anesthetized rats (720) 183
Campagnole-Santos, M.J., see Caligiorne, S.M. (720) 183
Cartel, N., see Ng, W.P. (720) 17
Carver, J.M., Mansson, P.-E., Cortes-Burgos, L., Shu, J., Zhou, L.M., Howe, J.R. and Giordano, T.
Cytotoxic effects of kainate ligands on HEK cell lines expressing recombinant kainate receptors (720) 69
Chen, S.-Y., Wright, J.W. and Barnes, C.D.
The neurochemical and behavioral effects of β-amyloid peptide(25–35) (720) 54
Christensen, B.N., see Micci, M.A. (720) 139
Cortes-Burgos, L., see Carver, J.M. (720) 69
Cunningham, M.D. and Enna, S.J.
Evidence for pharmacologically distinct $GABA_B$ receptors associated with cAMP production in rat brain (720) 220

De Jong, G.I., see Luiten, P.G.M. (720) 225
DeTeresa, R., see Iwai, A. (720) 230

Elde, R.P., see Hauser, K.F. (720) 191
Emson, P.C., see Kishimoto, J. (720) 159
Endo, H., see Tajima, T. (720) 155
Enna, S.J., see Cunningham, M.D. (720) 220

Fincher, A.S., see Frye, G.D. (720) 101
Flores, C., see Arvanitogiannis, A. (720) 148
Frye, G.D., Fincher, A.S., Grover, C.A. and Jayaprabhu, S.
Lanthanum and zinc sensitivity of $GABA_A$-activated currents in adult medial septum/diagonal band neurons from ethanol dependent rats (720) 101

Gabbott, P.L.A., see Bacon, S.J. (720) 211
Garcia-Munoz, M., Segal, D.S., Patino, P., Young, S.J., Kuczenski, R. and Groves, P.M.
Amphetamine-induced changes in nigrostriatal terminal excitability are modified following repeated amphetamine pretreatment (720) 131
Giardino, L.
Right–left asymmetry of D_1- and D_2-receptor density is lost in the basal ganglia of old rats (720) 235
Gibbs, R.B.
Expression of estrogen receptor-like immunoreactivity by different subgroups of basal forebrain cholinergic neurons in gonadectomized male and female rats (720) 61
Giordano, T., see Carver, J.M. (720) 69
Godleske, C.C., see Hauser, K.F. (720) 191
González-Mariscal, G., see Caba, M. (720) 7
Gotoh, M., see Tajima, T. (720) 155
Greisen, M.H., see Woldbye, D.P.D. (720) 111
Grover, C.A., see Frye, G.D. (720) 101
Groves, P.M., see Garcia-Munoz, M. (720) 131

Ha, J.-H. and Basile, A.S.
Modulation of ligand binding to components of the $GABA_A$ receptor complex by ammonia: implications for the pathogenesis of hyperammonemic syndromes (720) 35
Hards, D.K., see Bisley, J.W. (720) 25
Härtig, W., see Brückner, G. (720) 84
Hashino, E. and Salvi, R.J.
Regenerated hair cells exhibit a transient resistance to aminoglycoside toxicity (720) 172
Hauser, K.F., Stiene-Martin, A., Mattson, M.P., Elde, R.P., Ryan, S.E. and Godleske, C.C.
μ-Opioid receptor-induced Ca^{2+} mobilization and astroglial development: morphine inhibits DNA synthesis and stimulates cellular hypertrophy through a Ca^{2+}-dependent mechanism (720) 191
Headlam, A.J.N., see Bacon, S.J. (720) 211
Henry, J.L., see Romita, V.V. (720) 45
Howe, J.R., see Carver, J.M. (720) 69
Hritz, M.A., see LaManna, J.C. (720) 1
Huang, Z., see LaManna, J.C. (720) 1

Ichimori, Y., see Ii, M. (720) 93
Iguchi, A., see Tajima, T. (720) 155
Ii, M., Sunamoto, M., Ohnishi, K. and Ichimori, Y.
β-Amyloid protein-dependent nitric oxide production from microglial cells and neurotoxicity (720) 93
Ikari, H., see Tajima, T. (720) 155
Iwai, A., Masliah, E., Sundsmo, M.P., DeTeresa, R., Mallory, M., Salmon, D.P. and Saitoh, T.
The synaptic protein NACP is abnormally expressed during the progression of Alzheimer's disease (720) 230

Jayaprabhu, S., see Frye, G.D. (720) 101
Jiménez, A., see Caba, M. (720) 7

Kishimoto, J., Tsuchiya, T., Emson, P.C. and Nakayama, Y.
Immobilization-induced stress activates neuronal nitric oxide synthase (nNOS) mRNA and protein in hypothalamic–pituitary–adrenal axis in rats (720) 159
Köppe, G., see Brückner, G. (720) 84
Kuczenski, R., see Garcia-Munoz, M. (720) 131

Kutina-Nelson, K.L., see LaManna, J.C. (720) 1

LaManna, J.C., Kutina-Nelson, K.L., Hritz, M.A., Huang, Z. and Wong-Riley, M.T.T. Decreased rat brain cytochrome oxidase activity after prolonged hypoxia (720) 1
Larsen, P.J., see Woldbye, D.P.D. (720) 111
Lozano, A., see Ng, W.P. (720) 17
Luiten, P.G.M., De Jong, G.I., Van der Zee, E.A. and Van Dijken, H. Ultrastructural localization of cholinergic muscarinic receptors in rat brain cortical capillaries (720) 225

Mallory, M., see Iwai, A. (720) 230
Mansson, P.-E., see Carver, J.M. (720) 69
Masliah, E., see Iwai, A. (720) 230
Mattson, M.P., see Hauser, K.F. (720) 191
McKinley, M.J., see Bisley, J.W. (720) 25
Micci, M.A. and Christensen, B.N. Distribution of the inositol trisphosphate receptor in the catfish retina (720) 139
Mikkelsen, J.D., see Woldbye, D.P.D. (720) 111

Nakayama, Y., see Kishimoto, J. (720) 159
Ng, W.P., Cartel, N., Roder, J., Roach, A. and Lozano, A. Human central nervous system myelin inhibits neurite outgrowth (720) 17

Ohnishi, K., see Ii, M. (720) 93
Oldfield, B.J., see Bisley, J.W. (720) 25

Patino, P., see Garcia-Munoz, M. (720) 131
Pfaus, J.G., see Arvanitogiannis, A. (720) 148

Rees, S.M., see Bisley, J.W. (720) 25
Roach, A., see Ng, W.P. (720) 17
Roder, J., see Ng, W.P. (720) 17
Romita, V.V. and Henry, J.L. Intense peripheral electrical stimulation differentially inhibits tail vs. limb withdrawal reflexes in the rat (720) 45
Ryan, S.E., see Hauser, K.F. (720) 191

Saitoh, T., see Iwai, A. (720) 230
Salmon, D.P., see Iwai, A. (720) 230
Salvi, R.J., see Hashino, E. (720) 172
Santos, R.A.S., see Caligiorne, S.M. (720) 183
Schnabel, R. and Braun, K. Development of dopamine receptors in the forebrain of the domestic chick in relation to auditory imprinting. An autoradiographic study (720) 120
Segal, D.S., see Garcia-Munoz, M. (720) 131
Shizgal, P., see Arvanitogiannis, A. (720) 148
Shu, J., see Carver, J.M. (720) 69
Silver, R., see Caba, M. (720) 7
Smith, A.D., see Bacon, S.J. (720) 211
Steinbacher Jr., B.C. and Yates, B.J. Brainstem interneurons necessary for vestibular influences on sympathetic outflow (720) 204
Stiene-Martin, A., see Hauser, K.F. (720) 191
Sunamoto, M., see Ii, M. (720) 93
Sundsmo, M.P., see Iwai, A. (720) 230
Suzuki, Y., see Tajima, T. (720) 155

Tajima, T., Endo, H., Suzuki, Y., Ikari, H., Gotoh, M. and Iguchi, A. Immobilization stress-induced increase of hippocampal acetylcholine and of plasma epinephrine, norepinephrine and glucose in rats (720) 155
Tsuchiya, T., see Kishimoto, J. (720) 159

Van der Zee, E.A., see Luiten, P.G.M. (720) 225
Van Dijken, H., see Luiten, P.G.M. (720) 225

Woldbye, D.P.D., Greisen, M.H., Bolwig, T.G., Larsen, P.J. and Mikkelsen, J.D. Prolonged induction of c-*fos* in neuropeptide Y- and somatostatin-immunoreactive neurons of the rat dentate gyrus after electroconvulsive stimulation (720) 111
Wong-Riley, M.T.T., see LaManna, J.C. (720) 1
Wright, J.W., see Chen, S.-Y. (720) 54

Yates, B.J., see Steinbacher Jr., B.C. (720) 204
Young, S.J., see Garcia-Munoz, M. (720) 131

Zhou, L.M., see Carver, J.M. (720) 69

(contents continued)

μ-Opioid receptor-induced Ca^{2+} mobilization and astroglial development: morphine inhibits DNA synthesis and stimulates cellular hypertrophy through a Ca^{2+}-dependent mechanism
K.F. Hauser, A. Stiene-Martin, M.P. Mattson, R.P. Elde, S.E. Ryan and C.C. Godleske (USA) 191
Brainstem interneurons necessary for vestibular influences on sympathetic outflow
B.C. Steinbacher Jr. and B.J. Yates (USA) 204
Amygdala input to medial prefrontal cortex (mPFC) in the rat: A light and electron microscope study
S.J. Bacon, A.J.N. Headlam, P.L.A. Gabbott and A.D. Smith (UK) 211

Short Communications

Evidence for pharmacologically distinct $GABA_B$ receptors associated with cAMP production in rat brain
M.D. Cunningham and S.J. Enna (USA) 220
Ultrastructural localization of cholinergic muscarinic receptors in rat brain cortical capillaries
P.G.M. Luiten, G.I. De Jong, E.A. Van der Zee and H. Van Dijken (Netherlands) 225
The synaptic protein NACP is abnormally expressed during the progression of Alzheimer's disease
A. Iwai, E. Masliah, M.P. Sundsmo, R. DeTeresa, M. Mallory, D.P. Salmon and T. Saitoh (USA) 230
Right–left asymmetry of D_1- and D_2-receptor density is lost in the basal ganglia of old rats
L. Giardino (Italy) 235

Author Index 239